

zilenzio



Product sheet



Dezibel Table Arched



Dezibel

Table Arched

The Dezibel Table Arched is an extension of the Dezibel Table series, bringing a softer, more inviting expression through its gently rounded edges. The screen is designed to reduce the noise level between work surfaces with optimal dimensions and the best possible design. The desk screen creates an efficient and creative work environment by lowering the level of both acoustic and visual noise, thus improving the workplace experience.



Arched corners

DEZIBEL Table Arched

DIMENSIONS

Widths:	640, 740, 840, 940, 1200, 1400 1600, 1800, 2000, 2200 mm
Widths US:	25.2, 31.6, 43.6, 48, 54, 60, 66, 72, 78, 84"
Height:	640, 700 mm (25.2", 27.6")
Height above table top with clamp bracket:	525 mm (23.6")
Thickness:	40 mm (1.6")
Corners:	Radius 20 mm (0.8")

Request a quotation for other sizes.

DESIGN

Solid wood frame construction (FSC).
Filling 40mm comprised of stone wool with fire classification A1 (Non-combustible), and foam creating a soft 20 mm radius in corners and on the sides.

Attached to table with 2-3 table fittings.

ENVIRONMENT

Möbelfakta certified reg.no: 0120170605
EN 1023-1:1996
EN 1023-2:2000
EN 1023-3:2000
EN 14073-2

SOUND TESTS

SS-EN ISO 354, ISO 11654
SS-EN ISO 354:2003 evaluated according to SS 25269

N10-values			
2200x700mm / 84x27.6"	5.6	1400x700mm / 60x27.6"	8
2000x700mm / 78x27.6"	5.6	1200x700mm / 54x27.6"	9.3
1800x700mm / 72x27.6"	6.2	940x700mm / 43.6x27.6"	11.9
1600x700mm / 66x27.6"	7	840x700mm / 31.6x27.6"	13.3

OPTIONAL

- Hidden magnetic connection
- Customized dimensions

STANDARD FABRICS

We offer a variety of standard fabrics, each with unique characteristics to suit your needs. For a complete overview of the standard fabric options available for this product, please visit [Zilenzio.com](https://zilenzio.com).



CARE INSTRUCTIONS

In order to preserve the color and appearance of the fabric, the fabric should be regularly vacuumed with a soft nozzle.

Stain Removal for Polyester:
- Moisten the stain sparingly with a white clean cotton cloth, lukewarm water and possibly some pH neutral detergent.

Stain Removal for Wool:
- Dab or wipe gently with a damp cloth.

FITTINGS



Clamp bracket
Gap 50 mm (1.9")



Clamp bracket
For top mounting



Angle bracket 58
Length 58 mm (2.3")



Adjustable bracket left
Length 58 mm (2.3")



Clamp bracket
Gap 75 mm (3")



Angle bracket 33
Length 33 mm (1.3")



Angle bracket 95
Length 95 mm (3.7")



Adjustable bracket right
Length 58 mm (2.3")



Clamp bracket
With plate



Angle bracket 45
Length 45 mm (1.8")



Top mounted bracket

LAQUER

Standard colors Fixtures



Grey
RAL 9006



White
RAL 9016



Black
RAL 9005

DESCRIPTIVE TEXT

Example: Dezibel Table Arched screen straight from Zilenzio.
The screen shall have a filling of stone wool of at least 40 mm
Connection in corners between screens with hidden magnets.

Technical specification:
Size 1600 x 700 x 40 mm with 525 mm over tabletop.
Radius of 20 mm (0.8") Upholstery Blazer Lite from Camira.
Approved according to möbelfakta.
Sound tested according to Swedish standard SS 25269
N10-value at the maximum of 7.

zilenzio

Head Office
Boställsvägen 6
702 27 Örebro Sweden

Phone: +46 19 672 17 00
Email: support@zilenzio.com

www.zilenzio.com
Linkedin: Zilenzio
Instagram: @zilenzio
Facebook: Zilenzio
© 2025 Zilenzio