

zilenzio



Product sheet




Dezibel table



Dezibel

Table Screen



Dezibel has been developed to provide the best possible design with optimal dimensions for noise reduction between workplaces. The table screen provides an effective and creating working environment by lowering noise levels and improve the personal feeling. A solid wood frame with stone wool filling, covered with fabric featuring a concealed seam on the inner edge.



Removable fabric



Rounded corners



Straight corners



Beveled corners

DEZIBEL

Table Screen

DIMENSIONS

Widths:	640, 740, 840, 940, 1000, 1200, 1400 1600, 1800, 2000, 2200 mm
Widths US:	25.6, 31.6, 43.6, 48, 54, 60, 66, 72, 78, 84"
Height:	700 mm
Height above table top with clamp bracket:	600 mm
Thickness:	40 mm
Corner:	Straight or rounded R30 mm

Request a qoutation for other sizes.

DESIGN

Frame construction of solid wood.
Filling consisting stone wool, with the best sound-absorbing properties.
Foam on the front and back.

Attached to table with 2-3 table fittings.

ENVIRONMENT

Möbelfakta certified reg.no: 0120170605
EN 1023-1:1996
EN 1023-2:2000
EN 1023-3:2000
EN 14073-2

SOUND TESTS


SS-EN ISO 354, ISO 11654
SS-EN ISO 354:2003 evaluated according to SS 25269

N10-values

Dezibel 2200	5.1	Dezibel 1400	8
Dezibel 2000	5.6	Dezibel 1200	9.3
Dezibel 1800	6.2	Dezibel 940	11.9
Dezibel 1600	7	Dezibel 840	13.3

OPTIONAL

- Removable fabric
 - Rounded corners
 - Beveled edges
 - Hidden magnetic connection
 - Reinforced for toolbar
- Integrated or surface mounted toolbar are placed approximatly 240 mm (9.4") above tabletop.
Max weight 20 kg.



STANDARD FABRICS

We offer a variety of standard fabrics, each with unique characteristics to suit your needs. For a complete overview of the standard fabric options available for this product, please visit [Zilenzio.com](https://zilenzio.com).



ACCESSORIES

Monitor arm, LED Lamp, pen cup, shelf, nameplate etc.



FITTINGS



Clamp bracket
Gap 50 mm (1.9")



Clamp bracket
Gap 75 mm (3")



Clamp bracket
With plate



Clamp bracket
For top mounting



Angle bracket 33
Length 33 mm (1.3")




Angle bracket 45
Length 45 mm (1.8")



Angle bracket 58
Length 58 mm (2.3")



Angle bracket 95
Length 95 mm (3.7")



Corner fitting 90°
Depth 40 mm (1.6")



Adjustable bracket left
Length 58 mm (2.3")



Adjustable bracket right
Length 58 mm (2.3")



Top mounted
bracket

LAQUER

Standard colors Fixtures



Grey
RAL 9006



White
RAL 9016



Black
RAL 9005

DESCRIPTIVE TEXT

Example: Dezibel table screen straight from Zilenzio.
The screen shall have a filling of stone wool of at least 40 mm
Connection in corners between screens with hidden magnets.

Technical specification:

Size 1600 x 700 x 40 mm with 600 mm over tabletop.
Straight corners. Upholstery Blazer Lite from Camira.
Approved according to möbelfakta.
Sound tested according to Swedish standard SS 25269
N10-value at the maximum of 7.

CARE INSTRUCTIONS

In order to preserve the color and appearance of the fabric, the fabric should be regularly vacuumed with a soft nozzle.

Stain Removal for Polyester:

- Moisten the stain sparingly with a white clean cotton cloth, lukewarm water and possibly some pH neutral detergent.

Stain Removal for Wool:

- Dab or wipe gently with a damp cloth.

Zilenzio

Head Office
Boställsvägen 6
702 27 Örebro Sweden

Phone: +46 19 672 17 00
Email: support@zilenzio.com

www.zilenzio.com
Linkedin: Zilenzio
Instagram: @zilenzio
Facebook: Zilenzio
© 2024 Zilenzio