

Space Cabinet/Recycling unit

Design | TreCe






Flexible modular design designed for both personal and communal storage in offices and public spaces. Space is easy to integrate thanks to its cohesive and thoughtful design. Well-crafted details such as doors with seamless design, shoe shelves, and benches that enliven with fronts create a seamless and stylish feeling. This is also reflected in the fact that Space is a sustainable choice as it is approved according to Möbelfakta, consists of sustainable materials, is manufactured with social responsibility, and quality-tested at RISE.

The modules in the Space series are designed to fit together, so you can let your imagination run wild as you build your unique solution. There are five complete modules for waste sorting and eight complete cabinets for the office's common storage. Explore the entire Space series, including personal and public storage, wardrobes, seating modules, cabinets, recycling units, and more.





Example of combinations



Space Cabinet/Recycling unit

Recycling

 Download CAD/BIM

Frame/Front: 16 mm

Plinth: 143 mm

Volume: 85 - 125 L

Overview

- Counters and recycling units at working height, 822 mm.
- Frames in single and double modules can be freely combined with shelves, partitions, doors and drawers in several variants.
- Choose freely from any of the complete modules or assemble your own variant.
- Suitable bag holders are available as accessories.
- Complete modules with an inlet in the front has a pull-out bag holder inside the door, recommended rubbish bag 85 - 125 L.
- The fronts are complete with push open fittings. Does not apply to doors with inlets.



Complete modules

Frame, plinth, back 16 mm thick: In white direct laminate, with 0.8 mm straight ABS edging.

Fronts, 16 mm thick, lacquered MDF:

White/White = Body in white laminate with fronts lacquered in NCS S 0500-N, white.

White/NCS = Frame in white laminate with fronts lacquered in any NCS colour.

Plinth height: 143 mm


Inner dimensions of drawer H182: B325 x H127 x D420 mm

Inner dimensions of drawer H366: B325 x H311 x D420 mm.


Space Cabinet has drawers with high sides, 100% extension, max load weight 35 kg with push open fittings.

Space Cabinet complete modules


Width: 395 mm **Height:** 882 mm **Depth:** 470 mm




DSO
395x882x470



DSS
395x882x470




DS/2L
395x882x470




DS/3L
395x882x470

Incl. 1 movable shelf


Width: 790 mm **Height:** 882 mm **Depth:** 470 mm




DDO
790x882x470



DDS
790x882x470



DD/2L
790x882x470



DD/3L
790x882x470

Incl. 1 movable shelf

Space cabinet single	White
Space cabinet single DSO	23110101

Space cabinet single	White/NCS
Space cabinet single DSS	23110210
Space cabinet single DS/2L	23110310
Space cabinet single DS/3L	23110410

Space cabinet double	White
Space cabinet double DDO	23110501


Space cabinet double	White/NCS
Space cabinet double DDS	23110610
Space cabinet double DD/2L	23110710
Space cabinet double DD/3L	23110810

Space Recycling unit, complete modules

Width: 395 mm **Height:** 882 mm **Depth:** 470 mm
Extractable sack holder included for door with inlet



MDS
395x882x470




MDS/2L
395x882x470




MDS/3L
395x882x470

Space Recycling unit single	White/NCS
Space Recycling unit MDS*	23110910
Space Recycling unit MDS/2L	23111010
Space Recycling unit MDS/3L	23111110


Width: 790 mm **Height:** 882 mm **Depth:** 470 mm
Extractable sack holder included for door with inlet



MDD
790x882x470



MDD/2L
790x882x470



MDD/3L
790x882x470

Space Recycling unit double	White/NCS
Space Recycling unit MDD*	23111210
Space Recycling unit MDD/2L*	23111310
Space Recycling unit MDD/3L*	23111410

*Inlet: W: 270 x H: 125 mm.

Cover plate inside the door, painted in RAL 9016 white.

Garbage bag 85-125 L is recommended.

Accessories

Name	Suits	Material	Size	Art.no.
Space single carpet		Black rubber	362x454	27320105
Space double carpet		Black rubber	370x454	27320405
Containers 21 L	Draw		265x275x375	820927

Price according to quotation. Contact TreCe for more information.

TreCe AB

Importgatan 39
Box 6063
SE-600 06 Norrköping

Phone: +46-11-21 14 80
E-mail: info@trece.se
Org.nr: 556181-0820

Last updated: 2026 03 11

Containers



Name	Suits	Color	Size	Art. no.
Containers 47 L	Double drawer H366	Transparent	548x283x384	820910
Plastic box 19 L	Single & double drawer H366	Transparent	446x190x354	209099
Containers 21 L	Single drawer H366	Grey	265x275x375	820927
Containers 19 L	Single drawer H366 Can be combined with 10 L	Grey	230x283x330	820919
Containers 10 L	Single drawer H366 Can be combined with 19 L	Grey	255x283x165	820918

Symbol in Swedish

Foiled
H: 145 mm

												
	RESTAVFALL	MATAVFALL	PAPPER	PLAST-FÖRPACKNING	PAPPERS-FÖRPACKNING	PANT	BLANDAD ÅTERVINNING	WELLPAPP	OFÄRGAT GLAS	FÄRGAT GLAS	GLAS	METALL-FÖRPACKNING
Colour												
White	27815101	27815201	27815301	27815401	27815501	27815601	27815701	27815801	27815901	27816001	27816101	27816201
Anthracite	27815104	27815204	27815304	27815404	27815504	27815604	27815704	27815804	27815904	27816004	27816104	27816204

Symbol in English

Foiled
H: 145 mm

												
	GENERAL WASTE	FOOD WASTE	PAPER	PLASTIC	CARTONS	BOTTLES CANS	MIXED RECYCLING	CARDBOARD	CLEAR GLASS	COLOURED GLASS	GLASS	METAL
Colour												
White	27825101	27825201	27825301	27825401	27825501	27825601	27825701	27825801	27825901	27826001	27826101	27826201
Anthracite	27825104	27825204	27825304	27825404	27825504	27825604	27825704	27825804	27825904	27826004	27826104	27826204

Symbol in German

Foiled
H: 145 mm

												
	RESTMÜLL	BIOMÜLL	PAPIER	PLASTIK	PAPIER-VERPACKUNG	PFAND	WERTSTOFF-TONNE	WELLPAPPE	WEISSGLAS	BRAUNGLAS	GRÜNGLAS	METALL
Colour												
White	27835101	27835201	27835301	27835401	27835501	27835601	27835701	27835801	27835901	27836001	27836101	27836201
Anthracite	27835104	27835204	27835304	27835404	27835504	27835604	27835704	27835804	27835904	27836004	27836104	27836204

Symbol in Norwegian

Foiled
H: 145 mm

												
	RESTAVFALL	MATAVFALL	PAPIR	PLAST- EMBALLASJE	PAPP	PANT	BLANDET AVFALL	WELLPAPP	KLART GLASS	FARGET GLASS	GLASS	METALL- EMBALLASJE
Colour												
White	27845101	27845201	27845301	27845401	27845501	27845601	27845701	27845801	27845901	27846001	27846101	27846201
Anthracite	27845104	27845204	27845304	27845404	27845504	27845604	27845704	27845804	27845904	27846004	27846104	27846204

Contact TreCe if you want other symbols or text in other languages.



Combine your own storage with standard modules in white and any NCS colour.




The cover plate inside the metal door is powder coated as standard, RAL 9016 white. Can be painted in any RAL colour, at an additional cost.


NCS: Lacquered MDF (water-based), optional NCS.

Oak: Oak laminate | **Ash:** Ash laminate

Cabinet frame



Single frame cabinet
395x738x470 mm




Double frame cabinet
790x738x470 mm


Name	White	NCS
Space single frame cabinet	23210101	23210110
Space double frame cabinet	23220101	23220110

Cabinet frame without top shelf

Top shelf replaced by compartment mouldings, width 60 mm.
Used when making holes in the top panel.



Single frame cabinet
without top shelf
395x738x470



Double frame cabinet
without top shelf
790x738x470

Name	White	NCS
Space single frame cabinet without top shelf	23210201	23210210
Space double frame cabinet without top shelf	23220201	23220210

Partition wall

Name	Size	White	NCS
Space double partition wall unit	16x704	27141101	27141110

Plinth

Name	Size	White	NCS	Oak	Ash
Space plinth, single	395x143x430	22630101	22630110	22630108	22630109
Space plinth, double	790x143x430	22630201	22630210	22630208	22630209
Space plinth, single back to back	395x143x450	22630301	22630310	22630308	22630309
Space plinth, double back to back	790x143x450	22630401	22630410	22630408	22630409

Options

Push open

Name	Art. no.
Push 2 open, door	27704000
Push 2 open, drawer	27704100

Inlet

Name	Colour	Art. no.
Space inlet	Standard: White RAL 9010	27704201
Specify if you want the same colour as the front.		

Doors

Name	Size	NCS	Oak	Ash
Space cabinet door 734	392x734x16	23310110	23310108	23310208
Space cabinet double door 734	788x734x16	23310210	23310208	23310209

Drawers 100% pull-out with push to open

Name	Size	NCS	Oak	Ash
Space cabinet single Drawer 182	393x182x466	23410110	23420510	23420509
Space cabinet single Drawer 366 w. railing	393x366x466	23410410	23410408	23410409
Space cabinet single Drawer 366 high side	393x366x466	23410510	23410508	23410509
Space cabinet Double drawer 182	788x182x466	23420110	23420108	23420109
Space cabinet Double drawer 366 w. railing	788x366x466	23420410	23420408	23420409
Space cabinet Double drawer 366 high side	788x366x466	23420510	23420508	23420509

Drawers with 100% extension and push open,
max load weight 35 kg.

Inner dimensions of drawers:

Single drawer 182: B325 x H127 x D420 mm

Single drawer 366: B325 x H311 x D420 mm

Double drawer 182: B720 x H127 x D420 mm

Double drawer 366: B720 x H311 x D420 mm



Shelves

Name	Size	White	NCS
Space single shelf, movable	363x16x451	23510501	23510510
Space double shelf movable*	758x19x451	23530501	23530510
Space double shelf, partition wall	371x16x451	23520501	23520510

*Lamellar core



TreCe AB

Importgatan 39
Box 6063
SE-600 06 Norrköping

Phone: +46-11-21 14 80
E-mail: info@trece.se
Org.nr: 556181-0820

Last updated: 2026 03 11

Bag holders


Name	Color	Size	Art. no.
Bag holders	RAL 9001 White	355x412	23540101

Drawer inserts


Name	Size	Art. no.
Space cabinet single drawer Insert H67 6 slots	135x154	27140101
Space cabinet single drawer Insert H182 6 slots	135x154	27140201
Space cabinet double drawer Insert H67 12 slots	135x171	27140301
Space cabinet double drawer Insert H182 12 slots	135x171	27140401



Leg stand



Double leg stand



Triple leg stand

Colours



RAL 9010
White



RAL 7032
Warm grey



RAL 7016
Anthracite



RAL 5023
Brilliant blue



RAL 1013
Pearl White



RAL 6013
Olive



RAL 6020
Forest green



RAL 8014
Chocolate



RAL 1017
Saffron



RAL 3014
Old Pink



RAL 3005
Wine red



Name	Colour	Size	Art. no.
Space double leg stand	RAL 9010	789x143x469	27102001
Space double leg stand	RAL 7032	789x143x469	27102020
Space double leg stand	RAL 7016	789x143x469	27102004
Space double leg stand	RAL 5023	789x143x469	27102020
Space double leg stand	RAL 1013	789x143x469	27102022
Space double leg stand	RAL 6013	789x143x469	27102023
Space double leg stand	RAL 6020	789x143x469	27102024
Space double leg stand	RAL 8014	789x143x469	27102025
Space double leg stand	RAL 1017	789x143x469	27102026
Space double leg stand	RAL 3014	789x143x469	27102027
Space double leg stand	RAL 3005	789x143x469	27102028
Space triple leg stand	RAL 9010	1184x143x469	27103001
Space triple leg stand	RAL 7032	1184x143x469	27103020
Space triple leg stand	RAL 7016	1184x143x469	27103004
Space triple leg stand	RAL 5023	1184x143x469	27103021
Space triple leg stand	RAL 1013	1184x143x469	27103022
Space triple leg stand	RAL 6013	1184x143x469	27103023
Space triple leg stand	RAL 6020	1184x143x469	27103024
Space triple leg stand	RAL 8014	1184x143x469	27103025
Space triple leg stand	RAL 1017	1184x143x469	27103026
Space triple leg stand	RAL 3014	1184x143x469	27103027
Space triple leg stand	RAL 3005	1184x143x469	27103028

Storage box open/Plant box

Name	Size	NCS	Oak	Ash
Space single open storage 232	395x232x487	27103028	27150210	27150308
Space double open storage 232	790x232x487	27150210	27150210	27150209
Space single open storage 232, back to back	395x232x976	27150210	27150308	27150309

Lives with fronts.

Accessories - Storage box open/Plant box	Material	Size	Art.no.
Space single carpet open storage	Black rubber	363x944	27320305
Space double carpet open storage	Black rubber	773x455	27320805
Plastic box 19 L, planting	Transparent	446x190x354	27150400



TreCe AB

Importgatan 39
Box 6063
SE-600 06 Norrköping

Phone: +46-11-21 14 80
E-mail: info@trece.se
Org.nr: 556181-0820

Last updated: 2026 03 11

Top cover in compact laminate

Black core
 Thickness 12 mm

Name	Colour	Depth	Art. no.
Space top cover single	F2255 White	490	21641101
Space top cover single	F2297 Anthracite	490	21641104
Space top cover single	F5343 Olive	490	21641123
When placing modules back to back			
Space top cover double	F2255 White	980	21642101
Space top cover double	F2297 Anthracite	980	21642104
Space top cover double	F5343 Olive	980	21642123



White
(F2255)



Anthracite
(F2297)



Olive
(F5343)

Contact TreCe if you would like the top cover in another material.

Inlets for top cover, compact laminate

Name	Size	Art. no.
Space inlet square	250x250	27310200
Space inlet round	Ø220	27310300
Space inlet custom	Max. size 220x260	27310100

Cover panels

Thickness 16 mm

Size: 490x882x16

Name	NCS	Oak	Ash
Space cover panel single, counter	21610410	21610408	21610409

When placing modules back to back:

Size: 980x882x16

Space cover panel double, counter	21620410	21620408	21620409
-----------------------------------	----------	----------	----------

Top cover

Thickness 16 mm

Name	NCS	Oak	Ash
Space top cover single, 490	21641210	21641208	21641209

When placing modules back to back:

Space top cover double, 980	21642210	21642208	21642209
-----------------------------	----------	----------	----------



Lid, compact laminate


Name	Description	Size	Colour	Art. no.
Space lid, Formica F2255	Lid for Space inlet Ø220 mm, art. no. 209152. Compact laminate white core and white knob RAL 9010.	Ø230	White	27311301
Space lid, Formica F2297	Lid for Space inlet Ø220 mm, art. no. 209152. Compact laminate black core and anthracite knob RAL 7016.	Ø230	Anthracite	27311304
Space lid, Formica F5343	Lid for Space inlet Ø220 mm, art. no. 209152. Compact laminate black core and olive coloured knob RAL 6013.	Ø230	Olive	27311323



Worktop in high pressure laminate

Formica Collection Colors
Thickness 23 mm

Name	Colour	Depth	Art. no.
Space worktop single	F2255 White	490	21641301
Space worktop single	F2297 Anthracite	490	21641304
Space worktop single	F5343 Olive	490	21641323
When placing modules back to back:			
Space worktop double	F2255 White	980	21642301
Space worktop double	F2297 Anthracite	980	21642304
Space worktop double	F5343 Olive	980	21642323



White
(F2255)



Anthracite
(F2297)



Olive
(F5343)

Worktop in high pressure laminate

Pfleiderer Wood Decors
Thickness 23 mm

Name	Colour	Depth	Art. no.
Space worktop single	R20095/Oak	490	21641308
Space worktop single	R34027/Ash	490	21641309
When placing modules back to back:			
Space worktop double	R20095/Oak	980	21642308
Space worktop double	R34027/Ash	980	21642309



Oak
(R20095)



Ash
(R34027)

Holes for high-pressure laminate worktops

Inlet with powder coated steel frame

Name	Size	Colour	Art. no.
Inlet round	Ø 110	White	820951
Inlet round	Ø 250	White	820953
Inlet round	Ø 110	Black	820952
Inlet round	Ø 250	Black	820954
Inlet square	250x250	White	820961
Inlet square	250x250	Black	820962




Inlet with powder coated
frame in steel, 250x250 mm.



Inlet with powder coated
frame in steel, 250x250 mm.

Lid with knob for round inlets in lacquered steel

Name	Size	Colour	Art. no.
Lid	Ø 250	White	820957
Lid	Ø 250	Black	820959



Lid with knob for round
inlets in lacquered steel.

Inlet and lid with knob integrated/lowered in worktop

Name	Size	Material	Art. no.
Inlet round	Ø 250	Stainless steel	820980
Lid inlet compact laminate*	Ø 250	White (F2255)	820987
Lid inlet compact laminate*	Ø 250	Anthracite (F2297)	820986

*Knob, Ø19 mm, stainless steel.




Inlet integrated/lowered in
worktop.



Lid in compact laminate,
(F2297)

Specifications Space



MFC laminated surfaces within Space have a chip core, with the exception of some shelves. Back, frame and edging strip have matching colours unless otherwise stated.

Lacquered fronts, Shoe shelf, Open shelf/Bench and Storage box open/Flower box have an MDF core. Textiles at an additional cost.

Frame incl. plinth

Thickness 16 mm, 0.8 mm straight ABS-lipping.

- MFC laminate, white.
- Lacquered, any NCS-colour.
- Double module, width 790 mm.
- Single module, width 395 mm.

Back

Thickness 16 mm, same finish as the cabinet, inside and out.

Plinth

Each unit has its own setback plinth, front and rear, with 4 adjustable feet. Plinth height 143 mm.

Leg stand

Leg stand in steel with adjustable feet, 4 legs. Delivered not fitted to cabinet, leg stand must be adjusted in height before cabinet is lifted on.

- Leg stand double fits Space double.
- Leg stand triple fits 1x Space double + 1x Space single.
- Leg stand height 143 mm.
- Available in 11 RAL colours.

Fronts

Seamless fronts, thickness 16 mm

- Lacquered MDF in any NCS colour, water-based.
- Direct laminate in oak and ash with 2 mm straight ABS lipping.

Inside dimensions:

- Space door low: W363 x H424 x D454 mm.
- Space door middle: W363 x H573 x D454mm.
- Space door high: W363 x H864 x D454 mm.

Drawers

Drawers have soft closing. Extension capacity of 100%, maximum weight 35 kg. Drawers with railings or with elevated sides.

Doors to Space recycling units and Space counter

With push open.

Seat module with hatch door

Opens downwards with gas spring. Milled-in handle. Are powder coated white as standard. Can be painted in any RAL colour at an additional cost. Cushions and fabric are additional.

Shoe shelf, Open shelf/Bench and Storage box open/Flower box

Thickness 16 mm.

- Lacquered MDF, any NCS colour, oak and ash laminate.
- Modules aligned with fronts.
- Plant pot can be combined with plastic box 19 L.
- Accessories: Seat cushion.

Double doors Wardrobes

With milled-in handles. Are as standard powder coated, white. It can be painted in any RAL colour at an additional cost.

Mail inlet

Powder coated steel, White (RAL 9010). Opening 290x20 mm. Mail inlet has an angled steel lip on the inside of the door.

Hinges

- Self closing concealed hinges with integrated soft closing.
- Doors are right-hung as standard.

Shelves, fixed

Shelves mounted with milled-in connection fittings that are secured with screws.

- Shelves lockers have a chip core
- Shelves for wardrobes have a lamellar wood core.

Shelves, movable for personal storage

The shelf is recessed in the front edge. Mounted with milled shelf brackets, movable according to drill division c/c 32 mm.

Shelves, movable for storage

Installed with milled shelf brackets, movable according to drill division c/c 32 mm.

- 363 - 371 mm has chip core thickness of 16 mm.
- 755 mm has laminated core with pine wood thickness 19 mm, max weight 120 kg.

Cover panels/Top cover

Thickness 16 mm.

Lacquered MDF, any NCS colour, oak and ash laminate.

Top cover in compact laminate, black core

Thickness 12 mm.

- F2255, white
- F2297, anthracite
- F5343, olive grey

Worktop in high pressure laminate

Thickness 23 mm

Formica Collection Colors

F2255, white | F2297, anthracite | F5343, olive

Pfleiderer Wood decors

R20095, Oak | R34027, Ash

Inlets for top cover, compact laminate

- Inlets square B220 x D220 mm
- Inlet custom, max. size B220 x D260 mm

Accessories

Space shelf insert, clothes rail, carpet, clothes hook, anchor hook, mirror and cork box Stuff.

Cabinet locks

Robust cabinet locks with master key system, individual lock numbers and 2 keys as standard. Identical locks are available at extra cost.

Lock types

Different types of locks and fittings are available for doors, such as electronic RFID locks, code locks, cabinet locks, padlock fittings and push-to-open. For network-based locks contact TreCe for individual advice.

General care instructions

Metal

Wipe with a slightly damp, soft lint-free cloth and mild detergent. Always wipe dry with a dry cloth. Never use solvents on painted metal nor any abrasive cleaners/ materials.

Wood

Wood is a living material and is affected for example by seasons, heat and humidity. Direct sunlight will give surfaces permanent colour and light differences. To avoid colour shifts, all surfaces should be exposed to equal amounts of light.

Normal/daily cleaning:

Dust dry and clean with mild soap solution or mild hand washing-up liquid. Wipe dry with a dry cloth. Never use strong detergents, solvents or products containing abrasives. Remove all stains as soon as possible and wipe the surface dry after cleaning.

Note! Use a minimum amount of water.

General info

Mounting

All modules are factory mounted. Worktops/ Cover panels/Top cover panels are mounted on site.

Warranty

We provide a 5 year factory warranty on Space. Other products, contact TreCe.

Contact TreCe for customisation of selected product.

TreCe AB

Importgatan 39
Box 6063
SE-600 06 Norrköping

Phone: +46-11-21 14 80
E-mail: info@trece.se
Org.nr: 556181-0820

Last updated: 2026 03 11

Sustainability

Quick info

Content	Certification TreCe	Certification TreCe
Environmental & Circularity	ISO 9001:2015	ISO 14001:2015
Country of manufacture		
Sweden		



SVHC/ECHA's candidate list

No chemicals included in ECHA's candidate list of SVHC may be contained in levels of >0.1% by weight in the components, parts or chemicals that are included or used in the manufacturing of the furniture/product. See <http://echa.europa.eu/en/candidate-list-table>

Wood

The timber or wood-based materials meet the requirements set out in Table 1. The requirements cover traceability and responsible sourcing, as well as formaldehyde emission limits to reduce impact on the indoor environment.

Table 1: Requirements wood

Requirements	Complies
Has legal ownership and access rights	X
Follows nationally and locally applicable laws and regulations regarding use, environment, labor and welfare, health and safety, and other parties' rights	X
Pays the relevant taxes and charges related to use	X
Follows CITES regulations (only applicable to certain tree species, see the CITES website)	X
Requirements for formaldehyde emission according to E05	X

Metal

The metal used in the product meets the requirements set out in Table 2. The requirements include restrictions on certain alloys for parts intended for prolonged direct skin contact

Table 2: Requirements metal

Requirements	Complies
Metal that will have prolonged contact with skin (e.g. armrests) must not consist of alloys containing nickel, chromium III or chromium VI	X

Sustainability

Adhesive

Adhesives used in the product meet the requirements set out in Table 3. The requirements restrict VOC content and free formaldehyde.

Table 3: Requirements adhesive

Requirements	Complies
Adhesives used in the manufacture of furniture or components for furniture may contain a maximum of 10% by weight VOC	X
Adhesives used in the manufacture of furniture or components for furniture may contain a maximum of 0.2% by weight of free formaldehyde	X

Plastic

The plastic used in the product meets the requirements set out in Table 4. The requirements include restrictions on certain additives and substances, as well as marking to facilitate material recycling and correct sorting.

Table 4: Requirements plastic

Requirements	Complies
Plastic parts >50 grams are permanently marked according to ISO 11469	X
Free from PVC (polyvinyl chloride)	X
Softeners/phthalates classified as hazard classification H360 have not been actively added or that the measured level does not exceed 0.1% by weight/substance and component	X
Short-chain chlorinated paraffins (SCCPs) must not be actively added or that the measured level must not exceed 0.01% by weight/substance and component	X
The following flame retardants have not been actively added or that the measured level does not exceed 0.1% by weight/substance and component	X
Polybrominated biphenyls (PBBs)	CAS-nr: 59536-65-1
Decabromodiphenyl ether (dekaBDE)	CAS-nr: 1163-19-5
Pentabromodiphenylether (pentaBDE)	CAS-nr: 32534-81-9
Octabromodiphenylether (oktaBDE)	CAS-nr: 32536-52-0
Tris (2,3-dibromopropyl) phosphate (TBPP)	CAS-nr: 126-72-7
Tris (1-aziridinyl) phosphine oxide (TEPA)	CAS-nr: 5455-55-1
Hexabromocyclododecane (HBCDD)	CAS-nr: 25637-99-4
Tris (2 chlorethyl) phosphate (TCEP)	CAS-nr: 115-96-8
No pigments containing lead, cadmium, tin, chromium VI or mercury have not been actively added or that the measured level does not exceed 0.01% by weight per component	X

Surface treatment

Lacquer and stain are water-based and fulfil the requirements of Tables 5 and 6.

Safety data sheets according to REACH CLP Regulation No 1272/2008 will be sent on request

Table 5: Requirements surface treatment

Requirements	Complies
The content of aromatic solvents/hydrocarbons in surface treatment products /preparations may not exceed 1.0 % by weight	X
Surface treatment with preparations containing VOC may have a maximum applied VOC component of 60 g/m ² for office/public/outdoor environment	X

Sustainability

Table 6: Hazard class and hazard statement according to Regulation 1272/2008

Hazard category	Hazard statement according to regulation 1272/2008	Complies
Acute toxicity	H300, H301, H310, H311, H330, H331	X
Toxic to body organs	H370, H371, H372, H373	X
Carcinogenic	H350, H351	X
Mutagenic	H340, H341	X
Toxic for reproduction	H360, H361, H362	X
Allergenic	H334	X
Dangerous to the environment	H400, H410, H411, H412, H413 If the use of surface treatment products is required for technical reasons, products labelled as dangerous to the environment (H400, H410, H411, H412, H413) may be acceptable if the content of environmentally hazardous substance <14 g/per m ² of surface	X
Hazardous to the ozone layer	H420	X

Circularity

Product information, warranty and circularity

Developed for public environments and offices, with a focus on long service life and smooth day-to-day operation. The design makes it easy to care for, maintain and, when needed, replace parts, which can help extend its service life over time. Key product information, warranty and service options are summarised in Table 8.

Supporting longer use

- Can be disassembled for servicing and parts replacement when required.
- QR code on each product with assembly, disassembly and care instructions.
- Contact TreCe for service options and guidance on refreshing/refurbishment.

Table 8: Product information, warranty and service options

Aspect	
Design	TreCe
Product guarantee	5 years*
Product information & maintenance	QR code on each product
Recyclable	All parts can be materially recycled
Service	Contact TreCe for service options and guidance

***Warranty:** The warranty is valid from the date of delivery of the product. Invoice/order number must be quoted for the warranty to be valid. The warranty does not apply to products that have been stored or assembled incorrectly, used in an inappropriate or improper manner, altered in appearance/function or cleaned with an incorrect cleaning method or cleaning products. The warranty does not cover damage in transit, normal wear and tear, scratches, marks or damage caused by impact or accident. The warranty does not apply if the product has been placed outdoors or in a humid environment, or if the product has been used for purposes other than those for which it is intended.

For products intended for outdoor use, the aforementioned humid environment does not apply, but the warranty period is halved for installation within 200 metres of a coastal environment. The warranty does not apply to outdoor products where surface corrosion occurs over time as this is purely aesthetic and can be remedied with touch-up paint.