

KLOSS Small

Design | Kauppi & Kauppi



KLOSS recycling system reflects our need to separate and organise, putting the right materials in the right bins for recycling. What we used to define as waste is now a material resource that can be reused.

All interiors and situations have different conditions, with KLOSS there are almost endless possibilities to build whatever form and function is needed, in any RAL colour you wish. Creative and playfull recycling units for all environments.

"Modularity" is the basic idea and design essence of KLOSS. A vast and highly flexible, connectable modular system for recycling. Three different modules, made of steel, provide endless possibilities and shapes. Choice of modules and configuration, together with the choice of colour, top, lid and accessories - gives the recycling unit its final shape and expression.





KLOSS Small

Recycling

 Download CAD/BIM

Frame/Top/Wall bracket/Knob/Leg: Powder coated steel sheet

Lid: Powder coated steel sheet and och compact laminate

Container & base insert: 100% recycled ABS plastic

Size: 62-68 L, Small 32-35 L och Mini 11-13 L

KLOSS has an EPD certification, which provides a transparent and detailed report on the environmental impact of a product throughout its life cycle.



[→ Read more](#)

KLOSS recycling system has been assessed by Byggsvarubedömningen and received the highest rating **"Recommended"**.
BVB ID: 167660






Overview

- The modules are made of 20% recycled steel with long durability.
- Circular product: modules can be disassembled and replaced, refreshed, repaired, refurbished and recycled.
- The steel body is made in parts that are joined together by the click method and are detachable for renovation.
- Container with base insert allows the use of paper bag.
- Container and base insert is made of 100% recycled ABS plastic.
- The rubber inlet is made of black bio-based ECO EPDM rubber.





How to order KLOSS Small:

1. 	2. 	3. 	4. 
Choose frame and colour Bin with adjustable feet. Integrated bag holder included	Choose top and colour Soft closing fixed in powder-coated steel sheet	Choose symbol Order more symbols per unit, if the product is to be placed on a standalone basis	Choose accessories Legs or wheels, leg stand, wall bracket, lid, container and base insert

Frame

Powder coated steel sheet 1 mm
Width: 280 mm **Height:** 450 mm **Depth:** 280 mm

Markings on the illustrations refer to the visible
 mounting lines of the connection holes.



M1 Small: Square frame

Holds approx. 35 L

Colour	Art no.
RAL 9010 White	32110001
RAL 7032 Warm Grey	32110020
RAL 7016 Anthracite	32110004
RAL 5023 Brilliant blue	32110021
RAL 1013 Pearl white	32110022
RAL 6013 Olive	32110023
RAL 6020 Forest green	32110024
RAL 8014 Chocolate	32110025
RAL 1017 Saffron	32110026
RAL 3014 Old pink	32110027
RAL 3005 Wine red	32110028

M2 Small: Frame with one round corner

Holds approx. 33 L

Colour	Art no.
RAL 9010 White	32210001
RAL 7032 Warm Grey	32210020
RAL 7016 Anthracite	32210004
RAL 5023 Brilliant blue	32210021
RAL 1013 Pearl white	32210022
RAL 6013 Olive	32210023
RAL 6020 Forest green	32210024
RAL 8014 Chocolate	32210025
RAL 1017 Saffron	32210026
RAL 3014 Old pink	32210027
RAL 3005 Wine red	32210028

M3 Small: Frame with a straight side and rounded front

Holds approx. 32 L

Colour	Art no.
RAL 9010 White	32310001
RAL 7032 Warm Grey	32310020
RAL 7016 Anthracite	32310004
RAL 5023 Brilliant blue	32310021
RAL 1013 Pearl white	32310022
RAL 6013 Olive	32310023
RAL 6020 Forest green	32310024
RAL 8014 Chocolate	32310025
RAL 1017 Saffron	32310026
RAL 3014 Old pink	32310027
RAL 3005 Wine red	32310028

Any RAL colour at an additional cost, contact TreCe.

Colours



White



Warm Grey



Anthracite



Brilliant blue



Pearl white



Olive



Forest green



Chocolate



Saffron



Old pink



Wine red

TreCe AB

Importgatan 39
 Box 6063
 SE-600 06 Norrköping


Phone: +46-11-21 14 80
 E-mail: info@trece.se
 Org.nr: 556181-0820

Last updated: 2026 03 05


M1 Small: Top

Damped square top in powder coated steel sheet 1,5 mm
Width: 273 mm Depth: 273 mm


M1 Small: Top
Hole Ø180 mm



M1 Small: Top
Hole Ø130 mm



M1 Small: Top
Full cover top with knob



Colour	Art no.
RAL 9010 White	32110101
RAL 7032 Warm Grey	32110120
RAL 7016 Anthracite	32110104
RAL 5023 Brilliant blue	32110121
RAL 1013 Pearl white	32110122
RAL 6013 Olive	32110123
RAL 6020 Forest green	32110124
RAL 8014 Chocolate	32110125
RAL 1017 Saffron	32110126
RAL 3014 Old pink	32110127
RAL 3005 Wine red	32110128


Colour	Art no.
RAL 9010 White	32110201
RAL 7032 Warm Grey	32110220
RAL 7016 Anthracite	32110204
RAL 5023 Brilliant blue	32110221
RAL 1013 Pearl white	32110222
RAL 6013 Olive	32110223
RAL 6020 Forest green	32110224
RAL 8014 Chocolate	32110225
RAL 1017 Saffron	32110226
RAL 3014 Old pink	32110227
RAL 3005 Wine red	32110228

Colour	Art no.
RAL 9010 White	32112101
RAL 7032 Warm Grey	32112120
RAL 7016 Anthracite	32112104
RAL 5023 Brilliant blue	32112121
RAL 1013 Pearl white	32112122
RAL 6013 Olive	32112123
RAL 6020 Forest green	32112124
RAL 8014 Chocolate	32112125
RAL 1017 Saffron	32112126
RAL 3014 Old pink	32112127
RAL 3005 Wine red	32112128

M2 Small: Top

Damped top in powder coated steel sheet 1,5 mm
Width: 273 mm Depth: 273 mm

M2 Small: Top
Hole Ø180 mm



M2 Small: Top
Hole Ø130 mm



M2 Small: Top
Full cover top with knob



Colour	Art no.
RAL 9010 White	32210101
RAL 7032 Warm Grey	32210120
RAL 7016 Anthracite	32210104
RAL 5023 Brilliant blue	32210121
RAL 1013 Pearl white	32210122
RAL 6013 Olive	32210123
RAL 6020 Forest green	32210124
RAL 8014 Chocolate	32210125
RAL 1017 Saffron	32210126
RAL 3014 Old pink	32210127
RAL 3005 Wine red	32210128


Colour	Art no.
RAL 9010 White	32210201
RAL 7032 Warm Grey	32210220
RAL 7016 Anthracite	32210204
RAL 5023 Brilliant blue	32210221
RAL 1013 Pearl white	32210222
RAL 6013 Olive	32210223
RAL 6020 Forest green	32210224
RAL 8014 Chocolate	32210225
RAL 1017 Saffron	32210226
RAL 3014 Old pink	32210227
RAL 3005 Wine red	32210228

Colour	Art no.
RAL 9010 White	32212101
RAL 7032 Warm Grey	32212120
RAL 7016 Anthracite	32212104
RAL 5023 Brilliant blue	32212121
RAL 1013 Pearl white	32212122
RAL 6013 Olive	32212123
RAL 6020 Forest green	32212124
RAL 8014 Chocolate	32212125
RAL 1017 Saffron	32212126
RAL 3014 Old pink	32212127
RAL 3005 Wine red	32212128

M3 Small: Top

Damped square top in powder coated steel sheet 1,5 mm
Width: 273 mm Depth: 273 mm


M3 Small: Top
Hole Ø180 mm



M3 Small: Top
Hole Ø130 mm



M3 Small: Top
Full cover top with knob



Colour	Art no.
RAL 9010 White	32310101
RAL 7032 Warm Grey	32310120
RAL 7016 Anthracite	32310104
RAL 5023 Brilliant blue	32310121
RAL 1013 Pearl white	32310122
RAL 6013 Olive	32310123
RAL 6020 Forest green	32310124
RAL 8014 Chocolate	32310125
RAL 1017 Saffron	32310126
RAL 3014 Old pink	32310127
RAL 3005 Wine red	32310128

Colour	Art no.
RAL 9010 White	32310201
RAL 7032 Warm Grey	32310220
RAL 7016 Anthracite	32310204
RAL 5023 Brilliant blue	32310221
RAL 1013 Pearl white	32310222
RAL 6013 Olive	32310223
RAL 6020 Forest green	32310224
RAL 8014 Chocolate	32310225
RAL 1017 Saffron	32310226
RAL 3014 Old pink	32310227
RAL 3005 Wine red	32310228

Colour	Art no.
RAL 9010 White	32312101
RAL 7032 Warm Grey	32312120
RAL 7016 Anthracite	32312104
RAL 5023 Brilliant blue	32312121
RAL 1013 Pearl white	32312122
RAL 6013 Olive	32312123
RAL 6020 Forest green	32312124
RAL 8014 Chocolate	32312125
RAL 1017 Saffron	32312126
RAL 3014 Old pink	32312127
RAL 3005 Wine red	32312128

Symbol in Swedish

Ø100 mm

Order more symbols per unit,
if the product is to be placed on a standalone basis

												
	RESTAVFALL	MATAVFALL	PAPPER	PLAST-FÖRPACKNING	PAPPERS-FÖRPACKNING	PANT	BLANDAD ÅTERVINNING	WELLPAPP	OFÄRGAT GLAS	FÄRGAT GLAS	GLAS	METALL-FÖRPACKNING
Colour												
White	32815101	32815201	32815301	32815401	32815501	32815601	32815701	32815801	32815901	32816001	32816101	32816201
Anthracite	32815104	32815204	32815304	32815404	32815504	32815604	32815704	32815804	32815904	32816004	32816104	32816204

Symbol in English

Ø100 mm

Order more symbols per unit,
if the product is to be placed on a standalone basis

												
	GENERAL WASTE	FOOD WASTE	PAPER	PLASTIC	CARTONS	BOTTLES CANS	MIXED RECYCLING	CARDBOARD	CLEAR GLASS	COLOURED GLASS	GLASS	METAL
Colour												
White	32865101	32865201	32865301	32865401	32865501	32865601	32865701	32865801	32865901	32866001	32866101	32866201
Anthracite	32865104	32865204	32865304	32865404	32865504	32865604	32865704	32865804	32865904	32866004	32866104	32866204

Symbol in German

Ø100 mm

Order more symbols per unit,
if the product is to be placed on a standalone basis

												
	RESTMÜLL	BIOMÜLL	PAPIER	PLASTIK	PAPIER-VERPACKUNG	PFAND	WERTSTOFF-TONNE	WELLPAPPE	WEISSGLAS	BRAUNGLAS	GRÜNGLAS	METALL
Colour												
White	32965101	32965201	32965301	32965401	32965501	32965601	32965701	32965801	32965901	32966001	32966101	32966201
Anthracite	32965104	32965204	32965304	32965404	32965504	32965604	32965704	32965804	32965904	32966004	32966104	32966204

Symbol in Norwegian

Ø100 mm

Order more symbols per unit,
if the product is to be placed on a standalone basis

												
	RESTAVFALL	MATAVFALL	PAPIR	PLAST-EMBALLASJE	PAPP	PANT	BLANDET AVFALL	WELLPAPP	KLART GLASS	FARGET GLASS	GLASS	METALL-EMBALLASJE
Colour												
White	32775101	32775201	32775301	32775401	32775501	32775601	32775701	32775801	32775901	32776001	32776101	32776201
Anthracite	32775104	32775204	32775304	32775404	32775504	32775604	32775704	32775804	32775904	32776004	32776104	32776204

Contact TreCe if you want other symbols or text in other languages.



Wall bracket

Powder coated steel sheet



Wall bracket Small 1 frame
Width: 242 mm **Height:** 432 mm
Depth: 28 mm

Wall bracket Small 2 frame
Width: 523 mm **Height:** 432 mm
Depth: 28 mm

Wall bracket Small 3 frame
Width: 803 mm **Height:** 432 mm
Depth: 28 mm

Wall bracket Small 4 frame
Width: 1083 mm **Height:** 432 mm
Depth: 28 mm

Colour	Art no.	Colour	Art no.	Colour	Art no.	Colour	Art no.
RAL 9010 White	32713101	RAL 9010 White	32713201	RAL 9010 White	32713301	RAL 9010 White	32713401
RAL 7032 Warm Grey	32713120	RAL 7032 Warm Grey	32713220	RAL 7032 Warm Grey	32713320	RAL 7032 Warm Grey	32713420
RAL 7016 Anthracite	32713104	RAL 7016 Anthracite	32713204	RAL 7016 Anthracite	32713304	RAL 7016 Anthracite	32713404
RAL 5023 Brilliant blue	32713121	RAL 5023 Brilliant blue	32713221	RAL 5023 Brilliant blue	32713321	RAL 5023 Brilliant blue	32713421
RAL 1013 Pearl white	32713122	RAL 1013 Pearl white	32713222	RAL 1013 Pearl white	32713322	RAL 1013 Pearl white	32713422
RAL 6013 Olive	32713123	RAL 6013 Olive	32713223	RAL 6013 Olive	32713323	RAL 6013 Olive	32713423
RAL 6020 Forest green	32713124	RAL 6020 Forest green	32713224	RAL 6020 Forest green	32713324	RAL 6020 Forest green	32713424
RAL 8014 Chocolate	32713125	RAL 8014 Chocolate	32713225	RAL 8014 Chocolate	32713325	RAL 8014 Chocolate	32713425
RAL 1017 Saffron	32713126	RAL 1017 Saffron	32713226	RAL 1017 Saffron	32713326	RAL 1017 Saffron	32713426
RAL 3014 Old pink	32713127	RAL 3014 Old pink	32713227	RAL 3014 Old pink	32713327	RAL 3014 Old pink	32713427
RAL 3005 Wine red	32713128	RAL 3005 Wine red	32713228	RAL 3005 Wine red	32713328	RAL 3005 Wine red	32713428



KLOSS GO Small

Flexible, easy-grip handle that transforms the KLOSS modules into a mobile and adaptable recycling unit. The handle can be mounted on a group of 4 or 6 KLOSS modules and combined with sturdy wheels that can handle thresholds and other uneven surfaces.


Material: Powder-coated steel sheet + 25 mm Ø tube + wheels with TPE tread (2 of which are lockable)

KLOSS GO Handle

Colour	Art. no.
RAL 9010 White	32711101
RAL 7032 Warm Grey	32711120
RAL 7016 Anthracite	32711104
RAL 5023 Brilliant blue	32711121
RAL 1013 Pearl white	32711122
RAL 6013 Olive	32711123
RAL 6020 Forest green	32711124
RAL 8014 Chocolate	32711125
RAL 1017 Saffron	32711126
RAL 3014 Old pink	32711127
RAL 3005 Wine red	32711128



4 pcs of swivel castors Ø 75 mm, of which 2 are lockable (placed in the front)







Handle grip height: 850 mm



Leg stand

Powder coated steel wire Ø12 mm



KLOSS Small Leg stand 2
Width: 560 mm **Height:** 254 mm
Depth: 280 mm

Fits 2 interconnected KLOSS Small

Colour	Art no.
RAL 9010 White	32714101
RAL 7032 Warm Grey	32714120
RAL 7016 Anthracite	32714104
RAL 5023 Brilliant blue	32714121
RAL 1013 Pearl white	32714122
RAL 6013 Olive	32714123
RAL 6020 Forest green	32714124
RAL 8014 Chocolate	32714125
RAL 1017 Saffron	32714126
RAL 3014 Old pink	32714127
RAL 3005 Wine red	32714128

KLOSS Small Leg stand 3
Width: 840 mm **Height:** 254 mm
Depth: 280 mm

Fits 3 interconnected KLOSS Small

Colour	Art no.
RAL 9010 White	32714201
RAL 7032 Warm Grey	32714220
RAL 7016 Anthracite	32714204
RAL 5023 Brilliant blue	32714221
RAL 1013 Pearl white	32714222
RAL 6013 Olive	32714223
RAL 6020 Forest green	32714224
RAL 8014 Chocolate	32714225
RAL 1017 Saffron	32714226
RAL 3014 Old pink	32714227
RAL 3005 Wine red	32714228

KLOSS Small Leg stand 4
Width: 560 mm **Height:** 254 mm
Depth: 560 mm

Fits 4 interconnected KLOSS Small

Colour	Art no.
RAL 9010 White	32714301
RAL 7032 Warm Grey	32714320
RAL 7016 Anthracite	32714304
RAL 5023 Brilliant blue	32714321
RAL 1013 Pearl white	32714322
RAL 6013 Olive	32714323
RAL 6020 Forest green	32714324
RAL 8014 Chocolate	32714325
RAL 1017 Saffron	32714326
RAL 3014 Old pink	32714327
RAL 3005 Wine red	32714328

KLOSS Small Leg stand 6
Width: 840 mm **Height:** 254 mm
Depth: 560 mm


Fits 6 interconnected KLOSS Small

Colour	Art no.
RAL 9010 White	32714401
RAL 7032 Warm Grey	32714420
RAL 7016 Anthracite	32714404
RAL 5023 Brilliant blue	32714421
RAL 1013 Pearl white	32714422
RAL 6013 Olive	32714423
RAL 6020 Forest green	32714424
RAL 8014 Chocolate	32714425
RAL 1017 Saffron	32714426
RAL 3014 Old pink	32714427
RAL 3005 Wine red	32714428

Adjustable legs

The legs is designed and only available at TreCe.
Powder coated in our standard colours.

Art.no. for KLOSS leg refers to 1 piece, adapt the number based on your complete set-up.




Dimensions: Ø48 x H85 mm

Colour	Art no.
RAL 9010 White	32703001
RAL 7032 Warm Grey	32703020
RAL 7016 Anthracite	32703004
RAL 5023 Brilliant blue	32703021
RAL 1013 Pearl white	32703022
RAL 6013 Olive	32703023
RAL 6020 Forest green	32703024
RAL 8014 Chocolate	32703025
RAL 1017 Saffron	32703026
RAL 3014 Old pink	32703027
RAL 3005 Wine red	32703028

Wheels

Art.no. for KLOSS wheel refers to 1 piece, adapt the number based on your complete set-up. Black plain bearing wheel with nylon rim and rubber track. Black lacquered bracket.



Dimensions: Ø50 x H19 mm

Name	Description	Colour	Art no.
KLOSS Wheel	Without brake Load capacity 50 kg	Black	32705303
KLOSS Wheel	With brake Load capacity 50 kg Use 2 per setup	Black	32705403

Accessories

Fits all modules for Small

Product	Description	Size	Colour	Art no.
Container Small	Approx. 18 L Recycled ABS plastic 3 mm	Ø246 x H417	Grey	32715003
Base insert Small	Insert with perforated grid Recycled ABS plastic 3 mm	Ø185 x H60	Grey	32715103
Rubber insert	Reversible Glass/PET insert for KLOSS tops with Ø130 holes. Black ECO EPDM rubber	Ø150	Black	32705203

Overview of placement of wheels & legs

The overview below shows the recommended number of wheels or legs per set-up. Both wheels and legs are sold individually. When ordering wheels, choose 2 of the wheels with brakes.












Singular basic units

Placement of legs or wheels



Selection of standard set-ups

Placements of legs or wheels (units on wheels are coupled)



Container 18 L and base insert

Base insert is used as bottom insert in the container. The perforated grid is anchored to ventilate moisture.


Add the base insert when using food waste bags as they often have a lower depth.






Connections

KLOSS is connected together with connection holes on each frame.




M1 - 6 connection holes



M2 - 4 connection holes



M3 - 2 connection holes



NOTE! The connection holes are included on all our frames and will be visible depending on which set you have.

Sustainability

Quick info

Content of the declaration	Certification TreCe	Certification TreCe
Environment	ISO 9001:2015	ISO 14001:2015
Country of manufacture	Recycled material	Recycled material
Sweden	Steel sheet 20% recycled pre-consumer	100% recycled pre-consumer ABS plastic
GWP-fossil kg CO2e		
54.04844 kg		



EPD

KLOSS Small also has an EPD (Environmental Product Declaration), which provides a transparent and detailed report on the environmental impact of a product throughout its life cycle. It allows you to compare materials and make informed and sustainable choices.



→ Read more

Byggvarubedömningen

KLOSS recycling system has been assessed by Byggvarubedömningen and received the highest rating "Recommended".



BVB ID	167660
BSAB-code	XBD.6 - Containers, boxes and bins
BK04-codes	11213 Storage furniture, 11299 Furniture other

This means that our assessed products are examined on chemical content, life-cycle, and sustainable supply chains. In this way we contribute to making it easier to build sustainably. Read more on byggvarubedomningen.com

SVHC/ECHA Candidate List

No chemicals on the ECHA Candidate List of SVHCs may be present in concentrations >0.1% by weight in the components, parts or chemicals used or incorporated in the manufacture of the furniture/product. See <http://echa.europa.eu/sv/candidate-list-table>

Metal

The metal meets the requirements in table 1. The frame consist of cold-rolled steel plate and are manufactured in Sweden. In the production of steel blank, 20 % recycled pre-consumer material is used together with iron raw material ore (80 %).

Table 1: Metal requirements

Requirements	Complies with
Metals which come into direct contact with the skin over a long period of time (e.g. armrests) must not be made of alloys containing nickel, chromium III or chromium VI.	X

Sustainability

Surface treatment

Surface treatments used for the product meet the requirements in Table 2 and 3. The requirements limit the amount of volatile organic compounds (VOCs) and solvents, as well as the classification and labelling of chemicals according to CLP.

Table 2: Requirements for surface treatment

Requirements	Complies with
The content of aromatic solvents/hydrocarbons in coating products/preparations must not exceed 1.0% by weight	X
Surface treatment with preparations containing VOCs may have a maximum applied VOC component of 60 g/m2 for office/public/outdoor environment	X

Table 3: Hazard class and hazard designation according to Regulation 1272/2008

Hazard category	Hazard statement according to Regulation 1272/2008	Complies with
Acute toxicity	H300, H301, H310, H311, H330, H331	X
Toxic to body organs	H370, H371, H372, H373	X
Carcinogenic	H350, H351	X
Mutagenic	H340, H341	X
Toxic to reproduction	H360, H361, H362	X
Allergenic	H334	X
Environmentally hazardous	H400, H410, H411, H412, H413 If for technical reasons the use of coating products labelled as environmentally hazardous (H400, H410, H411, H412, H413) is required, it can be accepted if the applied amount is <14g/per m ² surface	X
Hazardous to the ozone layer	H420	X

Plastic

The plastic used in the product meets the requirements set out in Table 4. The requirements include restrictions on certain additives and substances, as well as marking to facilitate material recycling and correct sorting.

Table 4: Plastic requirements

Requirements		Complies with
Plastic parts >50 grams are permanently marked according to ISO 11469		X
Free from PVC (polyvinyl chloride)		X
Phthalates/softeners with hazard statement H340, H350, H360 must not be actively added or the measured value per substance and detail must not exceed 0,1 % by weight		X
Short-chain chlorinated paraffins (SCCPs) must not be actively added or the measured value per substance and item must not exceed 0,01 % by weight		X
The following flame retardants have not been actively added or the measured value per substance and detail shall not exceed 0,1 % by weight		
Polybromerade bifenyler (PBBs)	CAS-nr: 59536-65-1	X
Dekabromdifenyleter (dekaBDE)	CAS-nr: 1163-19-5	
Pentabromdifenyleter (pentaBDE)	CAS-nr: 32534-81-9	
Oktabromdifenyleter (oktaBDE)	CAS-nr: 32536-52-0	
Tris (2,3-dibrompropyl) fosfat (TBPP)	CAS-nr: 126-72-7	
Tris (1-aziridinyl)fosfin oxid (TEPA)	CAS-nr: 5455-55-1	
Hexabromcyklododekan (HBCDD)	CAS-nr: 25637-99-4	
Tris (2 kloretyl) fosfat (TCEP)	CAS-nr: 115-96-8	
Tris (1,3-dichloroisopropyl) phosphate (TDCPP)	CAS-nr: 13674-87-8	
No pigments containing arsenic, lead, cadmium, tin, chromium VI or mercury are actively added or that their content does not exceed 0.01% by weight measured value per item		X

Circularity

Product information, warranty and circularity

Developed for public environments and offices, with a focus on long service life and smooth day-to-day operation. The design makes it easy to care for, maintain and, when needed, replace parts, which can help extend its service life over time. Key product information, warranty and service options are summarised in Table 5.

Supporting longer use

- Designed to be expanded and adapted over time.
- Can be disassembled for servicing and parts replacement when required.
- QR code on each bin with assembly, disassembly and care instructions.
- Contact TreCe for service options and guidance on refreshing/refurbishment.

Table 5: Product information, warranty and service options

Aspect	
Design	Kauppi & Kauppi
Product warranty	2 years*
Product information & maintenance	QR code on each bin
Recyclable	All parts can be materially recycled
Service	Contact TreCe for service options and guidance

***Warranty:** The warranty is valid from the date of delivery of the product. Invoice/order number must be quoted for the warranty to be valid. The warranty does not apply to products that have been stored or assembled incorrectly, used in an inappropriate or improper manner, altered in appearance/function or cleaned with an incorrect cleaning method or cleaning products. The warranty does not cover damage in transit, normal wear and tear, scratches, marks or damage caused by impact or accident. The warranty does not apply if the product has been placed outdoors or in a humid environment, or if the product has been used for purposes other than those for which it is intended.

For products intended for outdoor use, the aforementioned humid environment does not apply, but the warranty period is halved for installation within 200 metres of a coastal environment. The warranty does not apply to outdoor products where surface corrosion occurs over time as this is purely aesthetic and can be remedied with touch-up paint.

General care instructions

Metal

Wipe with a slightly damp, soft lint-free cloth and mild detergent. Always wipe dry with a dry cloth. Never use solvents on painted metal or abrasive materials.