



Old pink RAL 3014

Hightower is part of a range of waste bins for both indoor and outdoor environments. The frame is made of galvanised steel sheet that can be lacquered in our standard colours or any RAL colour. Hightower holds 125 L, adapted for waste bags 85-140 L.

Legs for Hightower are available in 3 different versions, oak legs, stainless steel legs where both have adjustable feet and then a concrete base with 4 stainless steel legs. Naturally it is stainless steel for outdoor use and Swedish steel plate for indoor use.





Hightower

Recycling

 Download CAD/BIM

Frame: Powder coated galvanised steel sheet

Lid: Stainless steel sheet

Legs: Lacquered wooden legs in oak for indoor use, powder coated stainless steel legs and concrete base for indoor and outdoor use




Volume: 125 L

Overview

- The frame in powder-coated galvanized steel sheet is manufactured in Sweden and consists of 20% recycled (pre-consumer) material.
- The steel sheet is 100 % recyclable.
- Legs for Hightower are available in 3 different versions, oak legs from certified wood (FSC 100%), stainless steel legs where both have adjustable feet and then a concrete base with 4 stainless steel legs. The wooden legs are only suitable for indoor use but the other options work well outdoors.
- There are inlets on both the front and back. If placed outdoors, we recommend Popsicle/Hightower with a lid for bird protection.



How to order Hightower:

1.  With lid Without lid	2.  GENERAL WASTE FOOD WASTE PAPER PLASTIC	3.  Legs in stainless steel Legs with concrete footplate Legs in solid oak
Choose unit & colour (with or without lid) Hightower holds 125 L Adapted for garbage bag 85–125 L	Choose a symbol	Choose legs or concrete base

Hightower

Powder coated galvanised steel sheet, incl. lock with lock key
Width: 360 mm **Height:** 1113 mm **Depth:** 501 mm
Total height with legs: 1142 mm
Total height with concrete footplate: 1243 mm

Colour	Art.no.
RAL 9010 White	34111101
RAL 7032 Warm Grey	34111120
RAL 7016 Anthracite	34111104
RAL 5023 Brilliant blue	34111121
RAL 1013 Pearl white	34111122
RAL 6013 Olive	34111123
RAL 6020 Forest green	34111124
RAL 8014 Chocolate	34111125
RAL 1017 Saffron	34111126
RAL 3014 Old pink	34111127
RAL 3005 Wine red	34111128

Any RAL colour at additional cost, contact TreCe.

Hightower med lock

Powder coated galvanised steel sheet, incl. lock with lock key
Width: 360 mm **Height:** 1113 mm **Depth:** 501 mm
Total height with legs: 1142 mm
Total height with concrete footplate: 1243 mm

Colour	Art.no.
RAL 9010 White	34111201
RAL 7032 Warm Grey	34111220
RAL 7016 Anthracite	34111204
RAL 5023 Brilliant blue	34111221
RAL 1013 Pearl white	34111222
RAL 6013 Olive	34111223
RAL 6020 Forest green	34111224
RAL 8014 Chocolate	34111225
RAL 1017 Saffron	34111226
RAL 3014 Old pink	34111227
RAL 3005 Wine red	34111228

Colours



White Warm Grey Anthracite Brilliant blue Pearl white Olive Forest green Chocolate Saffron Old pink Wine red

Symbol in Swedish

Ø 150 mm

Foiled
1 pair (back + front)

												
Colour	RESTAVFALL	MATAVFALL	PAPPER	PLAST-FÖRPACKNING	PAPPERS-FÖRPACKNING	PANT	BLANDAD ÅTERVINNING	WELLPAPP	OFÄRGAT GLAS	FÄRGAT GLAS	GLAS	METALL-FÖRPACKNING
White	34815101	34815201	34815301	34815401	34815501	34815601	34815701	34815801	34815901	34816001	34816101	34816201
Anthracite	34815104	34815204	34815304	34815404	34815504	34815604	34815704	34815804	34815904	34816004	34816104	34816204

Symbol in English

Ø 150 mm

Foiled
1 pair (back + front)

												
Colour	GENERAL WASTE	FOOD WASTE	PAPER	PLASTIC	CARTONS	BOTTLES CANS	MIXED RECYCLING	CARDBOARD	CLEAR GLASS	COLOURED GLASS	GLASS	METAL
White	34825101	34825201	34825301	34825401	34825501	34825601	34825701	34825801	34825901	34826001	34826101	34826201
Anthracite	34825104	34825204	34825304	34825404	34825504	34825604	34825704	34825804	34825904	34826004	34826104	34826204

Symbol in German

Ø 150 mm

Foiled
1 pair (back + front)

												
Colour	RESTMÜLL	BIOMÜLL	PAPIER	PLASTIK	PAPIER-VERPACKUNG	PFAND	WERTSTOFF-TONNE	WELLPAPPE	WEISSGLAS	BRAUNGLAS	GRÜNGLAS	METALL
White	34835101	34835201	34835301	34835401	34835501	34835601	34835701	34835801	34835901	34836001	34836101	34836201
Anthracite	34835104	34835204	34835304	34835404	34835504	34835604	34835704	34835804	34835904	34836004	34836104	34836204

Symbol in Norwegian

Ø 150 mm

Foiled
1 pair (back + front)

												
Colour	RESTAVFALL	MATAVFALL	PAPIR	PLAST-EMBALLASJE	PAPP	PANT	BLANDET AVFALL	WELLPAPP	KLART GLASS	FARGET GLASS	GLASS	METALL-EMBALLASJE
White	34845101	34845201	34845301	34845401	34845501	34845601	34845701	34845801	34845901	34846001	34846101	34846201
Anthracite	34845104	34845204	34845304	34845404	34845504	34845604	34845704	34845804	34845904	34846004	34846104	34846204

The symbols can withstand outdoor climate. They are made of UV-resistant plastic with an adhesive that can endure -50 ° C to + 90 ° C. Contact TreCe if you want other symbols or text in other languages.



Legs in stainless steel in the same color as the base.



Clear lacquered solid oak legs from certified wood (FSC 100%).



Stainless steel lacquered legs with concrete base for indoor and outdoor use.

Legs

4 pcs legs with adjustable feet in powder coated stainless steel, for indoor and outdoor use

Colour	Size	Art.no.
RAL 9010 White	H: 70 mm Ø: 32 mm	34122101
RAL 7032 Warm Grey	H: 70 mm Ø: 32 mm	34122120
RAL 7016 Anthracite	H: 70 mm Ø: 32 mm	34122104
RAL 5023 Brilliant blue	H: 70 mm Ø: 32 mm	34122121
RAL 1013 Pearl white	H: 70 mm Ø: 32 mm	34122122
RAL 6013 Olive	H: 70 mm Ø: 32 mm	34122123
RAL 6020 Forest green	H: 70 mm Ø: 32 mm	34122124
RAL 8014 Chocolate	H: 70 mm Ø: 32 mm	34122125
RAL 1017 Saffron	H: 70 mm Ø: 32 mm	34122126
RAL 3014 Old pink	H: 70 mm Ø: 32 mm	34122127
RAL 3005 Wine red	H: 70 mm Ø: 32 mm	34122128

Wooden legs

4 pcs lacquered legs in oak from certified wood (FSC 100%) with adjustable feet, indoor

Colour	Dimensions	Art.no.
Lacquered oak	H: 70 mm Ø: 38 mm	390501

Outdoor stand

Stainless steel lacquered legs with concrete base, for indoor and outdoor use

Colour	Size	Art.no.
RAL 9010 White	410x132x430	34122301
RAL 7032 Warm Grey	410x132x430	34122320
RAL 7016 Anthracite	410x132x430	34122304
RAL 5023 Brilliant blue	410x132x430	34122321
RAL 1013 Pearl white	410x132x430	34122322
RAL 6013 Olive	410x132x430	34122323
RAL 6020 Forest green	410x132x430	34122324
RAL 8014 Chocolate	410x132x430	34122325
RAL 1017 Saffron	410x132x430	34122326
RAL 3014 Old pink	410x132x430	34122327
RAL 3005 Wine red	410x132x430	34122328

Accessories

Product	Art.no.
Triangular key	34700112



Installation of waste bag



How to change and dispose of the waste bag

1. Open/lock with the supplied triangular key
2. Hook the bin liner firmly onto the four hooks of the frame
3. Unhook the waste bag for emptying

Sustainability

Quick info

Content	Certification TreCe	Certification TreCe
Environmental & Circularity	ISO 9001:2015	ISO 14001:2015
Country of manufacture	Recycled material	FSC
Sweden	20% recycled steel (frame)	The wood in the oak legs is 100% FSC



SVHC/ECHA's candidate list

No chemicals included in ECHA's candidate list of SVHC may be contained in levels of >0.1% by weight in the components, parts or chemicals that are included or used in the manufacturing of the furniture/product.

See <http://echa.europa.eu/en/candidate-list-table>

Surface treatment

Lacquer and stain are water-based and fulfil the requirements of Tables 1 and 2.

Safety data sheets according to REACH CLP Regulation No 1272/2008 will be sent on request

Table 1: Requirements surface treatment

Requirements	Complies
The content of aromatic solvents/hydrocarbons in surface treatment products /preparations may not exceed 1.0 % by weight	X
Surface treatment with preparations containing VOC may have a maximum applied VOC component of 60 g/m ² for office/public/outdoor environment	X

Table 2: Hazard class and hazard statement according to Regulation 1272/2008

Hazard category	Hazard statement according to regulation 1272/2008	Complies
Acute toxicity	H300, H301, H310, H311, H330, H331	X
Toxic to body organs	H370, H371, H372, H373	X
Carcinogenic	H350, H351	X
Mutagenic	H340, H341	X
Toxic for reproduction	H360, H361, H362	X
Allergenic	H334	X
Dangerous to the environment	H400, H410, H411, H412, H413 If the use of surface treatment products is required for technical reasons, products labelled as dangerous to the environment (H400, H410, H411, H412, H413) may be acceptable if the content of environmentally hazardous substance <14 g/per m ² of surface	X
Hazardous to the ozone layer	H420	X

Sustainability

Wood

The timber or wood-based materials meet the requirements set out in Table 3. The requirements cover traceability and responsible sourcing, as well as formaldehyde emission limits to reduce impact on the indoor environment.

Table 3: Requirements wood

Requirements	Complies
Has legal ownership and access rights	X
Follows nationally and locally applicable laws and regulations regarding use, environment, labor and welfare, health and safety, and other parties' rights	X
Pays the relevant taxes and charges related to use	X
Follows CITES regulations (only applicable to certain tree species, see the CITES website)	X
Requirements for formaldehyde emission according to E05	X

Metal

The metal used in the product meets the requirements set out in Table 4. The requirements include restrictions on certain alloys for parts intended for prolonged direct skin contact

Table 4: Requirements metal

Requirements	Complies
Metal that will have prolonged contact with skin (e.g. armrests) must not consist of alloys containing nickel, chromium III or chromium VI	X

Circularity

Product information, warranty and circularity

Developed for public environments and offices, with a focus on long service life and smooth day-to-day operation. The design makes it easy to care for, maintain and, when needed, replace parts, which can help extend its service life over time. Key product information, warranty and service options are summarised in Table 5.

Supporting longer use

- Designed to be expanded and adapted over time.
- Can be disassembled for servicing and parts replacement when required.
- QR code on each bin with assembly, disassembly and care instructions.
- Contact TreCe for service options and guidance on refreshing/refurbishment.

Table 5: Product information, warranty and service options

Aspect	
Design	Jangir Maddadi
Product warranty	2 years*
Product information & maintenance	QR code on each bin
Recyclable	All parts can be materially recycled
Service	Contact TreCe for service options and guidance

***Warranty:** The warranty is valid from the date of delivery of the product. Invoice/order number must be quoted for the warranty to be valid. The warranty does not apply to products that have been stored or assembled incorrectly, used in an inappropriate or improper manner, altered in appearance/function or cleaned with an incorrect cleaning method or cleaning products. The warranty does not cover damage in transit, normal wear and tear, scratches, marks or damage caused by impact or accident. The warranty does not apply if the product has been placed outdoors or in a humid environment, or if the product has been used for purposes other than those for which it is intended.

For products intended for outdoor use, the aforementioned humid environment does not apply, but the warranty period is halved for installation within 200 metres of a coastal environment. The warranty does not apply to outdoor products where surface corrosion occurs over time as this is purely aesthetic and can be remedied with touch-up paint.

General care instructions

Metal

Wipe with a slightly damp, soft lint-free cloth and mild detergent. Always wipe dry with a dry cloth. Never use solvents on painted metal nor any abrasive cleaners/ materials.

Wood

Wood is a living material and is affected for example by seasons, heat and humidity. Direct sunlight will give surfaces permanent colour and light differences. To avoid colour shifts, all surfaces should be exposed to equal amounts of light.

Normal/daily cleaning:

Dust dry and clean with mild soap solution or mild hand washing-up liquid.

Wipe dry with a dry cloth.

Never use strong detergents, solvents or products containing abrasives.

Remove all stains as soon as possible and wipe the surface dry after cleaning.

Note! Use a minimum amount of water.